

IN THE CLAIMS:

The following listing of claims will replace all prior versions, and listings, of claims in the application.

1. (Currently Amended) A method for generating a computer program, the method comprising:

receiving user input to a prototyping application, wherein the user input specifies specifying a prototype, wherein the prototype comprises a series of functional operations, wherein at least one of the functional operations include a first functional operation with has an associated one or more associated parameters;

automatically generating a program that implements the prototype, in response to the specified prototype, wherein the program is operable to execute independently of the prototyping application;

wherein said automatically generating the program comprises automatically generating a graphical user interface for the program;

wherein said automatically generating the graphical user interface comprises automatically creating one or more graphical user interface elements associated with the one or more parameters of the first functional operation, wherein during execution of the program, at least one of the one or more graphical user interface elements is displayed and is operable to receive user input independently of the prototyping application.

2. (Cancelled)

3. (Currently Amended) The method of claim 1,

wherein said automatically generating the program comprises automatically generating source code for the program without direct user input specifying the source code.

4. (Currently Amended) The method of claim 1,

wherein ~~at least one of the~~ first functional operation ~~operations~~ has an associated input parameter;

wherein ~~said generating the~~ one or more automatically created graphical user interface elements include ~~comprises creating~~ a graphical user interface element for interactively ~~providing program~~ receiving user input specifying a value for the input parameter.

5. (Currently Amended) The method of claim 1,

wherein ~~at least one of the~~ first functional operation ~~operations~~ has an associated output parameter;

wherein ~~said generating the~~ one or more automatically created graphical user interface elements include ~~comprises creating~~ a graphical user interface element for viewing program output indicating a value for the output parameter.

6. (Currently Amended) The method of claim 1, wherein the one or more parameters associated with the first functional operation comprises a plurality of parameters ~~are associated with the functional operations~~, the method further comprising:

receiving user input to the prototyping application specifying which of the plurality of parameters are desired to have associated graphical user interface elements;

wherein said automatically generating the graphical user interface comprises automatically creating a graphical user interface element associated with each specified parameter of the first functional operation, but not creating graphical user interface elements associated with unspecified parameters of the first functional operation.

7. (Currently Amended) The method of claim 1,

wherein the automatically generated program ~~[[is]]~~ comprises a text-based program;

wherein automatically generating the program comprises automatically generating source code for the program in a text-based programming language.

8. (Currently Amended) The method of claim 1,

wherein the automatically generated program ~~[[is]]~~ comprises a graphical program~~[[,]]~~ ;

wherein automatically generating the program comprises automatically generating graphical source code for the graphical program, wherein the graphical source code includes ~~comprising~~ a plurality of interconnected nodes that visually indicate functionality of the graphical program.

9. (Currently Amended) The method of claim 1,

~~wherein said receiving user input specifying a prototype is performed by a prototyping application;~~

wherein the prototyping application interfaces with a programming environment application in order to perform said generating the program.

10. (Currently Amended) The method of claim 1, wherein the first functional operation has a first ~~at least one~~ parameter that has an associated data type, the method further comprising:

determining the data type of the ~~at least one~~ first parameter;

wherein automatically creating ~~[[a]]~~ the one or more graphical user interface element elements comprises automatically creating a first graphical user interface element associated with the ~~at least one~~ first parameter, wherein the first graphical user interface element is operable to receive user input ~~comprises creating a graphical user interface element~~ according to the data type of the ~~at least one~~ first parameter.

11. (Currently Amended) The method of claim 1,

wherein the prototype specifies an image processing algorithm;

wherein the automatically generated program implements the image processing algorithm.

12. (Currently Amended) The method of claim 11,

wherein ~~the at least one of the~~ one or more automatically created one or more graphical user interface elements include a first graphical user interface element for

receiving user input specifying a value for an input parameter of the first functional operation, wherein the value for the input parameter ~~for providing at least one input parameter~~ affects the image processing algorithm[[:]].

~~the method further comprising:~~

~~executing the program; and~~

~~receiving the at least one input parameter through the at least one of the one or more graphical user interface elements.~~

13. (Currently Amended) The method of claim 11,
wherein the ~~generated program has a graphical user interface including one or more~~ automatically created graphical user interface elements include a first graphical user interface element for viewing an output parameter values value for an output parameter of the first functional operation, wherein the output value is determined by the image processing algorithm.

14. (Currently Amended) A system for generating a computer program, the system comprising:

a prototyping environment application for receiving user input specifying a prototype, wherein the prototype comprises a series of functional operations, wherein at least one of the operations has an associated one or more parameters;

wherein the prototyping environment application is operable to automatically generate a program that implements the prototype, in response to the specified prototype, wherein the program is operable to execute independently of the prototyping environment application;

wherein said automatically generating the program comprises automatically generating a graphical user interface for the program;

wherein said automatically generating the graphical user interface comprises automatically creating one or more graphical user interface elements associated with the one or more parameters, wherein during execution of the program, at least one of the one or more graphical user interface elements is displayed and is operable to receive user input independently of the prototyping environment application.

15. (Cancelled)

16. (Currently Amended) The system of claim 14,

wherein said automatically generating the program comprises automatically generating source code for the program without direct user input specifying the source code.

17. (Currently Amended) The system of claim 14,

wherein at least one of the operations has an associated input parameter;

wherein ~~said generating~~ the one or more automatically created graphical user interface elements include ~~comprises creating~~ a graphical user interface element for interactively ~~providing program~~ receiving user input specifying a value for the input parameter.

18. (Currently Amended) The system of claim 14,

wherein at least one of the operations has an associated output parameter;

wherein ~~said generating~~ the one or more automatically created graphical user interface elements include ~~comprises creating~~ a graphical user interface element for viewing program output indicating a value for the output parameter.

19. (Previously Presented) The system of claim 14,

wherein a plurality of parameters are associated with the functional operations;

wherein the prototyping environment application is operable to receive user input specifying which of the plurality of parameters are desired to have associated graphical user interface elements;

wherein said generating the graphical user interface comprises creating a graphical user interface element associated with each specified parameter, but not creating graphical user interface elements associated with unspecified parameters.

20. (Currently Amended) The system of claim 14,

wherein the automatically generated program ~~[[is]]~~ comprises a text-based program;

wherein automatically generating the program comprises automatically generating source code for the program in a text-based programming language.

21. (Currently Amended) The system of claim 14,
wherein the automatically generated program ~~[[is]]~~ comprises a graphical program~~[[,]]~~ ;

wherein automatically generating the program comprises automatically generating graphical source code for the graphical program, wherein the graphical source code includes ~~comprising~~ a plurality of interconnected nodes that visually indicate functionality of the graphical program.

22. (Original) The system of claim 14,
wherein the prototyping environment application interfaces with a programming environment application in order to perform said generating the program.

23. (Previously Presented) The system of claim 14,
wherein at least one parameter has an associated data type;
wherein the prototyping environment application is operable to determine the data type of the at least one parameter;
wherein creating a graphical user interface element associated with the at least one parameter comprises creating a graphical user interface element according to the data type of the at least one parameter.

24. (Currently Amended) The system of claim 14,
wherein the prototyping environment application is an image processing prototype environment application;
wherein the prototype specifies an image processing algorithm;
wherein the automatically generated program implements the image processing algorithm.

25. (Currently Amended) The system of claim 24,
wherein the ~~generated program has a~~ one or more automatically created graphical user interface elements include ~~including~~ one or more graphical user interface elements for ~~providing~~ receiving input parameter values affecting the image processing algorithm.

26. (Currently Amended) The system of claim 24,
wherein the ~~generated program has a~~ one or more automatically created graphical user interface elements include ~~including~~ one or more graphical user interface elements for viewing output parameter values determined by the image processing algorithm.

27. (Currently Amended) A memory medium comprising program instructions executable to:

receive user input to a prototyping application, wherein the user input specifies ~~specifying~~ a prototype, wherein the prototype comprises a series of functional operations, wherein at least one of the operations has an associated one or more parameters;

automatically generate a program that implements the prototype, in response to the specified prototype, wherein the program is operable to execute independently of the prototyping application;

wherein said automatically generating the program comprises automatically generating a graphical user interface for the program;

wherein said automatically generating the graphical user interface comprises automatically creating one or more graphical user interface elements associated with the one or more parameters, wherein during execution of the program, at least one of the one or more graphical user interface elements is displayed and is operable to receive user input independently of the prototyping application.

28. (Cancelled)

29. (Currently Amended) The memory medium of claim 27,

wherein said automatically generating the program comprises automatically generating source code for the program without direct user input specifying the source code.

30. (Currently Amended) The memory medium of claim 27,
wherein at least one of the operations has an associated input parameter;
wherein ~~said generating~~ the one or more automatically created graphical user interface elements include ~~comprises creating~~ a graphical user interface element for interactively ~~providing program~~ receiving user input specifying a value for the input parameter.

31. (Currently Amended) The memory medium of claim 27,
wherein at least one of the operations has an associated output parameter;
wherein ~~said generating~~ the one or more automatically created graphical user interface elements include ~~comprises creating~~ a graphical user interface element for viewing program output indicating a value for the output parameter.

32. (Currently Amended) The memory medium of claim 27, wherein a plurality of parameters are associated with the functional operations, wherein the program instructions are further executable to:

receive user input to the prototyping application specifying which of the plurality of parameters are desired to have associated graphical user interface elements;

wherein said generating the graphical user interface comprises creating a graphical user interface element associated with each specified parameter, but not creating graphical user interface elements associated with unspecified parameters.

33. (Currently Amended) The memory medium of claim 27,
wherein the automatically generated program ~~[[is]]~~ comprises a text-based program;

wherein automatically generating the program comprises automatically generating source code for the program in a text-based programming language.

34. (Currently Amended) The memory medium of claim 27,
wherein the automatically generated program ~~[[is]]~~ comprises a graphical
program~~[[,]]~~ ;

wherein automatically generating the program comprises automatically generating
graphical source code for the graphical program, wherein the graphical source code
includes ~~comprising~~ a plurality of interconnected nodes that visually indicate
functionality of the graphical program.

35. (Currently Amended) The memory medium of claim 27,
~~wherein said receiving user input specifying a prototype is performed by a
prototyping application;~~

wherein the prototyping application interfaces with a programming environment
application in order to perform said automatically generating the program.

36. (Previously Presented) The memory medium of claim 27, wherein at least
one parameter has an associated data type, wherein the program instructions are further
executable to determine the data type of the at least one parameter;

wherein creating a graphical user interface element associated with the at least
one parameter comprises creating a graphical user interface element according to the data
type of the at least one parameter.

37. (Currently Amended) The memory medium of claim 27,
wherein the prototype specifies an image processing algorithm;
wherein the automatically generated program implements the image processing
algorithm.

38. (Currently Amended) The memory medium of claim 37,
wherein the ~~at least one of the~~ one or more automatically created graphical user
interface elements include one or more graphical user interface elements for receiving is

~~further operable to receive at least one input parameter values value, wherein the at least one input parameter value affects affecting the image processing algorithm.~~

39. (Currently Amended) The memory medium of claim 37,
wherein the ~~graphical user interface comprises~~ one or more automatically created graphical user interface elements include associated with the one or more parameters, wherein the one or more ~~elements of the graphical user interface~~ elements for viewing output parameter values determined by the image processing algorithm ~~are operable to display information, wherein the information is associated with at least one output value of the one or more parameters.~~

40. (Currently Amended) A computer-implemented method for automatically generating a computer program, the method comprising:

receiving program information to a first application, wherein the program information specifies ~~specifying~~ functionality of the computer program;

automatically generating the computer program in response to the program information, wherein the computer program implements the specified functionality, wherein the program is operable to execute independently of the first application;

wherein said automatically generating the program comprises automatically generating a graphical user interface for the program;

wherein said automatically generating the graphical user interface comprises automatically creating one or more graphical user interface elements for providing input to and/or viewing output from the program, wherein during execution of the program, the one or more graphical user interface elements are displayed and at least one of the one or more graphical user interface elements is operable to receive user input independently of the first application.

41. (Cancelled)

42. (Currently Amended) The method of claim 40,

wherein said automatically generating the computer program comprises automatically generating source code for the program without direct user input specifying the source code.

43. (Previously Presented) The method of claim 40,
wherein each of the one or more automatically created graphical user interface elements corresponds to one or more parameters specified by the program information.

44. (Currently Amended) The method of claim 40,
wherein the generated computer program ~~[[is]]~~ comprises a graphical program,
wherein automatically generating the computer program comprises automatically generating ~~comprising~~ a plurality of interconnected nodes that visually indicate functionality of the graphical program.

45. (Original) The method of claim 40,
wherein the received program information specifies one of:
a prototype;
a test executive sequence; and
a state diagram.

46. (Currently Amended) The method of claim 1, wherein said automatically generating the program comprises:

automatically generating a block diagram, wherein the block diagram comprises a plurality of interconnected nodes that visually indicate ~~[[the]]~~ functionality of the program.

47. (Currently Amended) The method of claim 1, wherein said generating the graphical user interface comprises:

automatically generating a user interface panel, wherein the user interface panel comprises the one or more graphical user interface elements.

48. (Currently Amended) A method for generating a computer program, the method comprising:

receiving user input specifying a prototype, wherein the prototype comprises a series of functional operations, wherein at least one of the operations has an associated one or more parameters;

in response to said receiving user input specifying the prototype, automatically generating a graphical program, wherein automatically generating the graphical program comprises automatically generating a plurality of interconnected nodes that visually indicate functionality of the graphical program, wherein the plurality of interconnected nodes are operable to perform the series of functional operations;

wherein said automatically generating the graphical program comprises automatically generating a graphical user interface for the graphical program, wherein the graphical user interface for the graphical program comprises at least one graphical user interface element which is associated with at least one of the one or more parameters;

wherein the graphical program is interpretable or compilable.

49. (Currently Amended) The method of claim 48,

wherein said receiving user input specifying the prototype is performed by a development environment;

wherein ~~said automatically generating~~ the graphical program comprises ~~generating~~ second program instructions ~~which comprises the graphical program, wherein said generating the second program instructions is performed by the development environment~~;

wherein execution of the second program instructions is independent of execution of the development environment.

50. (Currently Amended) A method for generating a computer program, the method comprising:

receiving user input specifying a prototype, wherein the prototype comprises a series of functional operations, wherein at least one of the operations has an associated one or more parameters;

in response to said receiving user input specifying the prototype, automatically generating a graphical program, wherein automatically generating the graphical program comprises automatically generating a plurality of interconnected nodes that visually indicate functionality of the graphical program, wherein said automatically generating the graphical program further comprises automatically generating a graphical user interface for the graphical program; and

associating at least one of the one or more parameters with an element of the graphical user interface.

51. (Currently Amended) The method of claim 50, further comprising:

receiving user input indicating the at least one of the one or more parameters ~~and the element of the graphical user interface;~~

wherein said associating the at least one of the one or more parameters with the element of the graphical user interface is based on said receiving user input indicating the at least one of the one or more parameters ~~and the element of the graphical user interface.~~

52. (Currently Amended) The method of claim 51,

wherein said receiving user input specifying the prototype is performed by first program instructions;

wherein ~~said automatically generating~~ the graphical program comprises ~~generating~~ second program instructions ~~which comprises the graphical program;~~

wherein execution of the second program instructions is independent of execution of the first program instructions.

53. (Previously Presented) A method for generating a computer program, the method comprising:

displaying a prototyping environment user interface on a display of a computer system, wherein the prototyping environment user interface is usable to create a prototype;

receiving user input specifying the prototype, wherein the prototype comprises a series of functional operations, wherein at least one of the operations has an associated one or more parameters; and

automatically generating a program that implements the prototype, in response to the specified prototype;

wherein said automatically generating the program comprises automatically generating a graphical user interface for the program;

wherein the graphical user interface of the program comprises at least one graphical user interface element which is associated with at least one of the associated one or more parameters, wherein the at least one graphical user interface element performs at least one of receiving information to the program and outputting information from the program during execution of the program, wherein the graphical user interface of the program is independent of the prototyping environment user interface.

54. (Previously Presented) The method of claim 53, wherein the program is interpretable or compilable.

55. (Currently Amended) A method for generating a computer program, the method comprising:

receiving user input to a development environment, wherein the user input specifies a series of functional operations, wherein at least one of the operations has an associated one or more parameters; and

automatically generating a program that implements the series of functional operations, in response to the user input, wherein [[the]] program execution of the program is independent of execution of the development environment;

wherein said automatically generating the program comprises automatically generating a graphical user interface for the program;

wherein the graphical user interface of the program comprises at least one graphical user interface element which is associated with at least one of the associated one or more parameters, wherein the at least one graphical user interface element performs one or more of receiving information through the graphical user interface and

outputting information from through the graphical user interface during execution of the program;

wherein the program is interpretable or compilable.

56. (New) The method of claim 1,

wherein said automatically generating the program comprises automatically generating source code to perform the functional operations of the prototype;

wherein the source code is automatically generated in a format that allows a user to edit the automatically generated source code.

57. (New) The method of claim 1,

wherein the functional operations also include a second functional operation with one or more associated parameters;

wherein said automatically generating the graphical user interface further comprises automatically creating one or more graphical user interface elements associated with the one or more parameters of the second functional operation.

58. (New) The method of claim 1, further comprising:

executing the automatically generated program, wherein said executing the automatically generated program comprises displaying the automatically generated graphical user interface independently of the prototyping application.

59. (New) The method of claim 1,

wherein the automatically generated program is operable to perform the functional operations of the prototype.